

**MATERIAL HANDLING
EQUIPMENT**





Hand Pallet Truck

- ▶ Capacity : 800, 2000, 2500, 3000 kg.
- ▶ Lowered Fork Height : 40, 65, 85 mm.
- ▶ Main Frame : Steel, Galvanized, Stainless
- ▶ Fork Dimension : NL 685x1212 mm.
: NS 520x1212 mm.



Low Profile



Long Fork



Galvanized



Short Fork With Brake



Roll Carrier

Electric Pallet Truck

- ▶ Capacity : 2000, 2500 kg.
- ▶ Lifting Range : 85-200 mm.
- ▶ Fork Dimension : 685x1220/520x1220 mm.
- ▶ Operation Type : Standing/Walkie



PLT200NL



PLT200NL




PLT250NLS



PLT200NL

FULL ELECTRIC STACKER



PSK100/1.6M.

Full Electric Stacker

- ▶ Capacity : 1000, 1500, 2000 kg.
- ▶ Lifting Range : 85-1600, 2000, 3000, 4000, 5000 mm.
- ▶ Width Overall Fork : 590/750, 810 mm.
- ▶ Operation Type : Standing/Walkie



PSK100/3M.



PSK100/3.5M.



PSK200/1.6M.

Counterbalanced Electric Stacker

- ▶ Capacity : 500, 1000, 1500 kg.
- ▶ Lifting Range : 85-1600, 2000, 3400 mm.
- ▶ Fork Length : 1070 mm.
- ▶ Operation Type : Standing/Walkie



PSK050/2M.
(CW)



PSK100/1.6M.
(CW)



PSK100/3.4M.
(CW)



PSK100/3.4M.
(CW)

COUNTERBALANCED ELECTRIC STACKER

COUNTERBALANCED ELECTRIC REACH STACKER



PSK150/3.4M.
(RW)

Counterbalanced Electric Reach Stacker

- ▶ Capacity : 500, 1000, 1500 kg.
- ▶ Lifting Range : 85-1600, 2000, 3400 mm.
- ▶ Fork Length : 1070 mm.
- ▶ Operation Type : Standing/Walkie



Reach Stacker Operation

TABLE LIFT



TL1000(3X)

Table Lift

- ▶ Capacity : 1000, 2000, 3000, 5000 kg.
- ▶ Table Size : 780x1380/1000x2000 mm.
: 1220x2440/1500x3000 mm.
- ▶ Max. Lifting Height : 1000, 1400, 1700, 2100 mm.
- ▶ Min. Height Of Table : 250, 300, 350, 400 mm.



TL500



TL1000



TL1000(2X)

Dock Leveler

- ▶ Capacity : 5000, 10000 kg.
- ▶ Table Size : 2000x2500 mm.
- ▶ Lip Board Size : 2000x2400 mm.
- ▶ Lifting Height Up/Down : 400/300 mm.



Lift Board Operation



DL1000

DOCK LEVELER

MOBILE RAMP



MR100

Mobile Ramp

- ▶ Capacity : 10000 kg.
- ▶ Ramps Size : 2300x8500 mm.
- ▶ Level Plate Size : 2000x2400 mm.
- ▶ Lift Height Up/Down : 1400-1700 mm.



Ramp Operation

Mobile Crane

- ▶ Capacity : 1000, 1500 kg.
- ▶ Lifting Range : 360-3130 mm.
- ▶ Overall Length : 1530 mm.
- ▶ Overall Width : 940 mm.



MC1000



MC1000



MCE1500



MC1000

MOBILE CRANE

TOW TRACTOR



PT20(N)

Tow Tractor

- ▶ Load Capacity : 2000, 2500 kg.
- ▶ Min. Overall Width : 970 mm.
- ▶ Min. Overall Length : 1720 mm.
- ▶ Operation Type : Standing/Seated



PT20(N)



PT20



PT25

High Lift Truck

- ▶ Capacity : 500, 1000 kg.
- ▶ Fork Dimension : 520x1080/685x1080 mm.
- ▶ Lifting Range : 85-830 mm.
- ▶ Overall Width : 750 mm.




HTE1000
Foot Switch



HTE1000



HT1000



HTE1000

HIGH LIFT TRUCK

ELECTRIC PERSONAL LIFT



SKE150/3.5M

Electric Personal Lift

- ▶ Capacity : 150, 200, 350 kg.
- ▶ Platform Size : 750x750 mm.
- ▶ Lifting Height : 3500, 5000, 7000, 10000 mm.
- ▶ Lifting Speed : 6 m/min.



TL350/7M



SKE150/5M



SKE150/12M(S)



SK200SS

Drum Lift Truck

- ▶ Capacity : 350 kg.
- ▶ Arm Height : 205 mm.
- ▶ For Use With : 200 Liter Steel Drum Corrugated Type.
- ▶ Operation Type : Foot Pump



SK300DCW



SK300DC



SK200S

Manual Stacker

- ▶ Capacity : 500, 1000, 1500, 2000 kg.
- ▶ Lifting Range : 85-1600, 2000 mm.
- ▶ Width Overall Fork : 675/810 mm.
- ▶ Fork Dimension : 80x800/100x1000 mm.



SK500/1.6M.



SK1000/1.6M.



SK1500/1.6M.(S)



SK500/1.6M.



SKE1000/3M.

Semi-Electric Stacker

- ▶ Capacity : 500, 1000, 1500, 2000 kg.
- ▶ Lifting Range : 85-1600, 2000, 2500, 3000, 3500 mm.
- ▶ Width Overall Fork : 675/810 mm.
- ▶ Fork Dimension : 80x800/100x1000 mm.



SKE500/1.6M.



SKE1000/1.6M.(S)



SKE1500/1.6M.(S)



SK250RL

Cloth Roll Doffer/Carrier

- ▶ Capacity : 250, 350 kg.
- ▶ Beam Size : Ø 330, 450 mm.
- ▶ Lifting Height : 550 mm.

Empty Beam Carrier

- ▶ Capacity : 300, 500 kg.
- ▶ Dimension : 504x980x1300 mm.
- ▶ Lifting Height : 500 mm.



SK300RL



RL1000S

Warp Beam Carrier

- ▶ Capacity : 1000 kg.
- ▶ Beam Size : Ø 820 mm.
- ▶ Beam Lifting Height : 350-650 mm.

Electric Warp Beam High Lift Truck

- ▶ Capacity : 1000 kg.
- ▶ Dimension : 1290x2530x1935 mm.
- ▶ Beam Lifting Height : 2200 mm.



PRL1000H



PRL1000

Electric Warp Beam Lift Truck

- ▶ Capacity : 1000, 1500 kg.
- ▶ Dimension : 1350x3100x1225 mm.
- ▶ Beam Lifting Height : 450-800 mm.



tmi T.M INDUSTRY
COMPANY LIMITED

T.M INDUSTRY CO., LTD.
บริษัท ที.เอ็ม อินดัสตรี จำกัด

HEAD OFFICE :

42/39 Moo 5 Soi Sirichai, Puttamolthol 5 Rd.
Omnoi, Krathumban, Samutsakorn 74130

Tel. : 02 420 9022 (Auto)
02 810 2541-4

Fax. : 02 810 2540

HATYAI BRANCH :

28 Nutthaphon 3 Rd. Hatyai, Songkhla 90110.

Tel, Fax : 07 442 9106

Website : www.tmindustry.com

E-mail : lifto@tmindustry.com

Designed & Manufactured in Thailand